

**AQUARIUS RUBBER (AUST) PTY LTD**

Red Back Wonder Juice

Date of issue: 8 November 2016



**1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION**

**Product Name:** Red Back Wonder Juice  
**Product code:** RED 408  
**Product type:** Methylic acrylate  
**Recommended use:** Adhesive/bonding compound

**Details of the supplier of the safety data sheet · Manufacturer/Supplier**

Aquarius Rubber (Aust) PTY LTD  
 ABN: 79 502 567 531  
 46 Rushdale Street  
 KNOXFIELD VIC 3180  
 Phone: (03) 9763 0044  
 Facsimile: (03) 9764 1266  
 E-mail: admin@aquariusdist.com.au Web-Site: http://www.aquariusdist.com.au

**2. HAZARDS IDENTIFICATION**

**Physical hazards**

**Acute toxicity** Class 4  
**Skin Stimulation/Corrosion** Class 4  
**Serious Eye injury/Eye Irritation** Class 2B

**Signal Word**  
 Warning



**Relevant routes of exposure:** eye, skin, Inhalation, Ingestion

**Potential Health effects:**  
**Inhalation:** May cause weakness, tiredness, headache, and possible loss of consciousness.

**Skin contact:** Moderate skin irritation. May cause allergic skin reaction.

**Eye contact:** Contact with eyes may cause irritation, blurred vision and watering of eyes.

**Ingestion:** May be harmful if ingested.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

<b>Chemical name:</b>	<b>CAS</b>	<b>Proportion (%)</b>
Polyglycol dimethacrylate	25852-47-5	30~60
Vinyl resin	63148-65-2	5~10
Alkyl C12 methacrylate	142-90-5	5~10
Poly(ethylene)	9002-88-4	1~5
Silica, amorphous, fumed,	112945-52-5	1~5
crystalline-free 1-Acetyl-2-phenylhydrazine	114-83-0	0.1~1

**4. FIRST AID MEASURES**

<b>Inhalation:</b>	Remove to fresh air. If symptoms develop and persist, get medical attention.
<b>Skin contact:</b>	Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms persist.
<b>Eye contact:</b>	Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all of the time. Seek medical attention.
<b>Ingestion:</b>	Do not induce vomiting. Keep individual calm. Obtain medical attention.

**5. FIRE FIGHTING MEASURES**

<b>Flash point:</b>	≥100°C
<b>Autoignition temperature:</b>	Not available
<b>Extinguishing media:</b>	If product is involved in fire extinguish with dry chemical, foam or carbon dioxide.
<b>Personal Protective Equipment:</b>	Wear self-contained breathing apparatus and full protective clothing, cool equipment with cold water.
<b>Hazardous combustion gases:</b>	Oxides of carbon. Oxides of sulfur. Oxides of nitrogen.

**6. ACCIDENTAL RELEASE MEASURES**

<b>Environmental precautions:</b>	Prevent product from entering drains or open waters.
<b>Clean-up methods:</b>	Ventilate area of spill, avoid inhalation. Clear area of ignition triggers. Absorb spillage with sand/earth and dispose of in accordance with local/national regulations.

**7. HANDLING AND STORAGE**

<b>Handling:</b>	Avoid contact with eyes, skin and clothing. Avoid breathing vapor. Wash hand and exposed skin thoroughly after use.
<b>Storage:</b>	For safe storage, store at or below 38°C. Keep in a cool, well ventilated area until ready for use. Avoid contacting with strong oxidizers, strong alkalis, strong acid, other polymerization initiators.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

<b>Engineering controls:</b>	No specific ventilation requirements noted, but forced ventilation may be required if concentrations exceed occupational exposure limit (s).
<b>Respiratory protection:</b>	Wear personal breathing apparatus if there is a potential to exceed exposure limit (s).
<b>Skin protection:</b>	Use impermeable gloves and protective clothing as necessary to prevent skin contact.
<b>Eye/face protection:</b>	Wear safety glasses or face shield
<b>Body protection:</b>	Wear general safety clothes
<b>Hand protection:</b>	Wear chemical safety gloves
<b>Ventilation:</b>	Good general or local exhaust ventilation are required for usage.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance and properties:</b>	Dark yellow paste
<b>Specific gravity:</b>	1.15—1.20
<b>Odor:</b>	Nil
<b>Solubility:</b>	limited in water
<b>pH :</b>	3-6
<b>Boiling point:</b>	Not available
<b>Melting point:</b>	Not available
<b>Flash point:</b>	≥100°C

**10. STABILITY AND REACTIVITY**

<b>Stability:</b>	Stable
<b>Hazardous polymerization:</b>	Not Applicable
<b>Conditions to avoid:</b>	Exposure to sunlight. Heat, flames and sparks.
<b>Incompatibility:</b>	Strong oxidizers. Strong alkalis. Strong acids.

**11. TOXICOLOGICAL INFORMATION**

<b>Estimated oral LD50 :</b>	Greater than 10000mg/kg (rat).
<b>Estimated dermal LD50:</b>	Greater than 5000 mg/kg (rabbit).

**12. ECOLOGICAL INFORMATION**

<b>Ecological information:</b>	Not regarded as being harmful to the environment
--------------------------------	--

**13. DISPOSAL CONSIDERATIONS**

Dispose of according to local/ national regulations, protection department regulations.

**14. TRANSPORT INFORMATION**

<b>Proper transportation name:</b>	Unrestricted
<b>Air transportation name:</b>	Unrestricted
<b>Water transportation name:</b>	Unrestricted

**16. OTHER INFORMATION****Note :**

The information in this document is given to provide details of known hazards and is prepared from sources believed reliable, and can only be used for safety and health purposes. Aquarius Rubber (Aust) Pty Ltd makes no warranty that it is in all cases correct and sufficient. Prepared along Worksafe guidelines. This material safety data sheet can only be copied in its entirety without any alterations.